ASSET DATA DICTIONARY DEFINITION DOCUMENT (AD4) SIDINGS

Document Number: **CRL1-XRL-Z3-ADDSD-CR001-50648**

Document Revision: **1.0**

Learning Legacy Document

Document History:

Revision:	Date:	Prepared by:	Checked by:	Authorised by:	Reason for Issue:
1.0	03-Mar-15	[redacted]	[redacted]	[redacted]	First Issue

This document contains proprietary information. No part of this document may be reproduced without prior written consent from the chief executive of Crossrail Ltd.

Document uncontrolled once printed. All controlled documents are saved on the CRL Document System

© Crossrail Limited **RESTRICTED**

Contents

1 Introduction 3
1.1 Facility Details 3
1.2 Description 3
1.3 Related PFUs & FUs 3
2 Facility Identification Rules 3
3 Reference Material 3

Learning Legacy Document

Document uncontrolled once printed. All controlled documents are saved on the CRL Document System
© Crossrail Limited RESTRICTED

1 Introduction

Each class of Facility can belong to one of two Facility Types; Geographic or Linear/Functional.

The Geographic Facility Type is a Facility that is entirely located at a single location. The Geographical Facilities are easily identified and have distinct boundaries. They normally contain systems that are wholly operated and maintained within that facility.

The Linear/Functional Facility type is a Facility that contains systems/subsystems which are based a multiple locations (which should reside at Geographical Facilities). Linear Facilities contain complete systems that run the entire length of the maintainable route and could not easily be manage using Geographical Facilities.

1.1 Facility Details

Class Code:	FAC008
Class Name:	SIDINGS
Facility Type:	GEOGRAPHIC

1.2 Description

A Sidings Facility is a Geographic Area distinct from the Route Sections which is generally used by the Train Operating Company for marshalling, stabling, storing, loading and unloading vehicles. A Siding Facility will only be utilised when the area is not contained within another Geographic Facility ie a Depot Facility.

A Sidings Facility will be geographically generally be demarcated by the security fencing that surrounds the Sidings Facility and the switch and crossing where it joins the main route section.

1.3 Related PFUs & FUs

All information on the configuration of facility classes to PFUs & FUs is contained within the latest revision of the Asset Data Dictionary Master Configuration document (eB ref: CRL1-XRL-Z3-ADDSD-CR001-50186)

2 Facility Identification Rules

Facilities will be identified in the following format:

FAC-2-<Incremental number to ensure uniqueness>

e.g. FAC-2-0001

3 Reference Material

- Asset Data Dictionary Master Configuration document - CRL1-XRL-Z3-ADDSD-CR001-50186
- Asset Identification Standard - CRL1-XRL-O6-STD-CR001-00031

Learning Legacy Document

Document uncontrolled once printed. All controlled documents are saved on the CRL Document System

© Crossrail Limited RESTRICTED