ASSET DATA DICTIONARY DEFINITION DOCUMENT (AD4)
EML - EMERGENCY LIGHTING

Document Number: **CRL1-XRL-Z3-ADDSD-CR001-50010**

Document Revision: **4.0**

Learning Legacy Document

Document History:

Revision:	Date:	Prepared by:	Checked by:	Authorised by:	Reason for Issue:
000	15-Jun-2012	[redacted]	[redacted]	[redacted]	First Issue
2.0	12-Jul-2013	[redacted]	[redacted]	[redacted]	Updated Uniclass and description
3.0	27-Mar-2014	[redacted]	[redacted]	[redacted]	Updated L Class Allocation
4.0	14-Jan-2015	[redacted]	[redacted]	[redacted]	Updated to Standard Template Format

This document contains proprietary information. No part of this document may be reproduced without prior written consent from the chief executive of Crossrail Ltd.

Document uncontrolled once printed. All controlled documents are saved on the CRL Document System

© Crossrail Limited **RESTRICTED**

Contents

1 Introduction 3
1.1 Purpose 3
1.2 Function Details 3
1.3 Description 3
2 Asset Tag Identification Rules 3
3 Scope 4
3.1 Related L Classes 4
3.2 Location Codes 4
3.3 Out of Scope 4
4 Other Information 5
5 Reference Material 5

Learning Legacy Document

Document uncontrolled once printed. All controlled documents are saved on the CRL Document System
© Crossrail Limited RESTRICTED

1 Introduction

1.1 Purpose

The purpose of this document is to propose options for the identification and classification of Emergency Lighting assets.

1.2 Function Details

Function Code:	EML
Function Name:	EMERGENCY LIGHTING

1.3 Description

The Function Emergency Lighting (BLE) refers to the system of assets that provide illumination during emergency situations and their associated controls. This includes any local battery packs integral to the fitting.

2 Asset Tag Identification Rules

Assets will be identified as required by the Asset Identification Standard (CRL1-XRL-O6-STD-CR001-00031), in the following format:

<LCS Code>-<Function Code>-<Incremental number to ensure uniqueness>

e.g. N105-EML-10101

Learning Legacy Document

Document uncontrolled once printed. All controlled documents are saved on the CRL Document System

© Crossrail Limited RESTRICTED

3 Scope

3.1 Related L Classes

All information on the configuration of asset classes (L-Class) to functions is contained within the latest revision of the Asset Data Dictionary Master Configuration Document (eB ref: CRL1-XRL-Z3-ADDSD-CR001-50186)

3.2 Location Codes

The Crossrail central section route is divided up into a number of London Coding System sections. The LCS code is used as part of the unique asset identification numbering system.

All information on the configuration of functions to locations is contained within the latest revision of the Asset Data Dictionary Master Configuration document (eB ref: CRL1-XRL-Z3-ADDSD-CR001-50186)

3.3 Out of Scope Items

Items out of scope of the Emergency Lighting Function are:

• Un-Secured Lighting (LTG): Illumination systems for general use.

• Cables (CBL): All cabling is contained in this function.

• Uninterrupted Power Supply (UPS): UPS and Batteries for the powering of systems in the event of a power failure.

Learning Legacy Document

Document uncontrolled once printed. All controlled documents are saved on the CRL Document System

© Crossrail Limited RESTRICTED

4 Other Information

Not Applicable

5 Reference Material

- Asset Data Dictionary Master Configuration document - CRL1-XRL-Z3-ADDSD-CR001-50186
- Asset Identification Standard - CRL1-XRL-O6-STD-CR001-00031
- Asset Information Provision Procedure - CRL1-XRL-Z3-GPD-CR001-50004

Learning Legacy Document

Document uncontrolled once printed. All controlled documents are saved on the CRL Document System

© Crossrail Limited RESTRICTED