ASSET DATA DICTIONARY DEFINITION DOCUMENT (AD4) L81112 – PEDESTRIAN SIGNS AND FINGER POSTS

Learning Legacy Document

Document Number: **CRL1-XRL-Z3-ADDSD-CR001-50490**

Document Revision: **3.0**

Document History:

Revision:	Date:	Prepared by:	Checked by:	Authorised by:	Reason for Issue:
1.0	17-Oct-2014	[redacted]	[redacted]	[redacted]	First Issue
2.0	27-Aug-2015	[redacted]	[redacted]	[redacted]	Labelling Section Updated
3.0	21-Nov-2016	[redacted]	[redacted]	[redacted]	Attribute added

This document contains proprietary information. No part of this document may be reproduced without prior written consent from the chief executive of Crossrail Ltd.

Document uncontrolled once printed. All controlled documents are saved on the CRL Document System

© Crossrail Limited RESTRICTED

Contents

1 Introduction **3**
1.1 Asset Details **3**
1.2 Description **3**
1.3 Related Functions **3**
2 Asset Tag Identification Rules **3**
2.1 Example Images **4**
3 Attributes **5**
3.1 Generic Attributes **5**
3.2 Class Specific Attributes **5**
4 Performance Data **6**
5 Labelling **6**
6 Other Information **6**
7 Reference Material **6**
8 Crossrail Technical Approvals **7**

Learning Legacy Document

Document uncontrolled once printed. All controlled documents are saved on the CRL Document System
© Crossrail Limited RESTRICTED

1 Introduction

Not Applicable

1.1 Asset Details

Class Code:	L81112
Class Name:	Pedestrian Signs and Finger Posts
Class Lineage:	Construction Products>Fixtures and Furnishings>External Furniture and Fittings>Street Furniture>Pedestrian Signs and Finger posts

1.2 Description

Pedestrian Signs and Finger Posts are devices intended to instruct or inform pedestrians of ways of passage, places of interest or the provision of general information. Finger posts generally have an arrow or are shaped into the form of an arrow to indicate direction; they are often called guide posts. Signs and posts are coloured following the Highway Code principles to distinguish between instruction, danger, prohibition or advice. The signage may be mounted in a number of ways such as onto walls, post structures or suspended from ceilings, etc.

1.3 Related Functions

All information on the configuration of asset classes (L-Class) to functions is contained within the latest revision of the Asset Data Dictionary Master Configuration document (eB ref: CRL1-XRL-Z3-ADDSD-CR001-50186)

2 Asset Tag Identification Rules

Assets will be identified as required by the Asset Identification Standard (CRL1-XRL-O6-STD-CR001-00031), in the following format:

<LCS Code>-<Function Code>-<Incremental number to ensure uniqueness>

e.g. C125-TSP-12345

Information and guidance on the standard naming convention for all asset classes is contained within the latest revision of the Asset Naming Convention Document (eB ref: CRL1-XR1-Z3-ADDSD-CR001-50413).

Learning Legacy Document

Document uncontrolled once printed. All controlled documents are saved on the CRL Document System

© Crossrail Limited RESTRICTED

2.1 Example Images

Document uncontrolled once printed. All controlled documents are saved on the CRL Document System
© Crossrail Limited RESTRICTED

3 Attributes

3.1 Generic Attributes

All Classes of assets will have a set of Generic Attributes for which data is collected without exception. Full details relating to these assets can be found at:

AD4 – Generic Attributes CRL1-XRL-Z3-ADDSD-CR001-50069

3.2 Class Specific Attributes

Below is a table of the further specific attributes which are associated with this asset class.

Attribute Name	Base Unit or Formula	Value Type (See Below)	Decimal Places (nu Only)	Defined Values List (pd only)	Description
Mounting		CH			Type of mounting signage is fixed with/to e.g. post, screwed to wall, suspended, painted onto surface, etc.
Mounting Height (Metres)	Metres	NU	2		Height of mounted sign from floor level.
Sign Purpose		CH			Purpose sign is designed to achieve e.g. access, information, danger, prohibition, way guide, etc.
Height (Millimetres)	Millimetres	NU	0		Height (top to bottom) of sign
Length (Millimetres)	Millimetres	NU	0		Length (left to right) of sign
Sign Material		PD		Glass Metal Plastic	The primary material of the signage surface

pd = Predefined List (Listed Values Only)
nu = Numeric (dp and number format can be stipulated)
ch = Free text (Max 255 Characters)
da = Date (dd-mm-yyyy)
me = Memo (Free text 1GB Limit)

Learning Legacy Document

Document uncontrolled once printed. All controlled documents are saved on the CRL Document System

© Crossrail Limited RESTRICTED

4 Performance Data

This section is to be used to specify the performance data to be gathered from this Class of asset when in operation. To be populated once the performance measures have been agreed with the Infrastructure Managers.

5 Labelling

Information and guidance on the standard labelling convention for all asset classes is contained within the latest revision of the Asset Naming and Labelling Convention Document (eB ref: CRL1-XR1-Z3-ADDSD-CR001-50413).

6 Other Information

Not Applicable

7 Reference Material

- Asset Data Dictionary Master Configuration document - CRL1-XRL-Z3-ADDSD-CR001-50186
- Asset Identification Standard - CRL1-XRL-O6-STD-CR001-00031
- AD4 – Generic Attributes - CRL1-XRL-Z3-ADDSD-CR001-50069
- <ADD OTHER REFERENCE DOCUMENTS HERE>

Learning Legacy Document

Document uncontrolled once printed. All controlled documents are saved on the CRL Document System

© Crossrail Limited RESTRICTED

8 Crossrail Technical Approvals

Name	Role	Date
[redacted]	Lead Mechanical & Electrical Plant (MEP) Engineer	17-Oct-2014

Learning Legacy Document

Document uncontrolled once printed. All controlled documents are saved on the CRL Document System
© Crossrail Limited RESTRICTED